

Medications to avoid for life after Bariatric Surgery

Nonprescription

Advil®	Bufferin® Aspirin	Norwich® Aspirin
Aleve®	Cama®	Orudis®
Alka-Seltzer®	Doan's®	Pepto-Bismol®
Anacin®	Ecotrin®	St. Joseph®
Ascriptin®	Empirin®	Vanquish®
Aspergum®	Excedrin®	
Bayer® Aspirin	Motrin® IB	

Prescription

Anaprox®	Dolobid®	Orudis®
Ansaid®	Equagesic®	Oruvail®
Arthrotec®	Feldene®	Percodan®
Cataflam®	Fiorinal®	Piroxicam
Celebrex®	Flurbiprofen	Ponstel®
Clinoril®	Ibuprofen	Relafen®
Darvon®	Indomethacin	Sulindac
(Compound 32 & 65)	Ketoprofen	Synalgos-DC®
Daypro®	Mobic®	Toradol®
Diclofenac	Naproxen	Vicoprofen®
Disalcid™	Norgesic™	Voltaren®

Medications that are usually well tolerated: (GBRNY patients should avoid any liquid medications that contain alcohol and/or sugar)

Acetaminophen (Tylenol)
Benefiber
Benadryl
Dimetapp
Ducolax
as
Phazyme
Sudafed
Triaminic
Ultram